



DESIGNED BY XPERTS. FOR EXPERTS.



**TOOLS &
CONSUMABLES** v8



DESIGNED BY XPERTS. FOR EXPERTS.

In **2010**, a team of experienced, professional window fitters realised that many of the tools used within the glazing industry were not actually intended for that purpose. To address this gap in the market, the Xpert brand was born, giving fenestration professionals a **range of tried-and-tested tools, hardware and equipment essentials they can rely on every day.**

Our products help fabricators and fitters achieve the best results in less time because they've been **designed with inside, hands-on knowledge** of how they are really used in the workplace – that includes the bad habits! The result is practical, proven kit preferred by trade professionals because it eliminates many of the irritations associated with employing general-purpose tools and consistently **delivers the desired results.**

MOST RECOGNISED HAND TOOL BRAND AMONGST INSTALLERS*

*According to a survey conducted by Insight Data in August 2024.

CONTENTS:

Glazing Hand Tools

Gasket Shears & Snips	03
Knives & Blades	04-05
Glass Suction Lifters	06
Glazing Tools	07
Saws	08
Applicators	09
Measuring	10

Silicones, Cleaners & Adhesives

LMN 117 Silicone	11
Consumables	12

Window Machinery Spares

Machinery Consumables	13
HSS Drill Bits	14
Thermocouples	15
PTFE Fibreglass Cloth	16
Carbide Burrs	17
Cutters & Router Bits	18

Air Tools

Air Power Tools	19-20
Polishing	21
Air Accessories	22

GASKET SHEARS & SNIPS

Easily cut through trims and gaskets again and again with these hard-wearing fitter's toolbox essentials



SOLID BLADE GASKET / MITRE SHEAR

- Multi angled replaceable base: 45-120°
- Makes large cuts up to 50mm length and up to 15mm thick
- Cushioned, non-slip handle
- High quality
- Safety lock

For replacement blades and base plates see page 4

GKT03104



STANLEY BLADE GASKET / MITRE CUTTERS

- Accepts trim and utility blades
- Multi angled replaceable base: 45-120°
- Makes large cuts up to 50mm length and up to 15mm thick
- Cushioned, non-slip handle
- Safety lock

For replacement blades and base plates see page 4

GKT03804



GASKET SNIPS

- Length: 140mm
- Cutting length: 42mm
- Stainless steel blades hardened to HRC 50-54
- One serrated blade to reduce slippage
- Safety locking mechanism
- Spring action blade
- Suitable for both left- and right-handed usage

GKT20000



Xpert Mitre Shears

"These shears are great for cutting rubber gaskets but also for cutting trims for windows and doors. They are very well made as I use them probably every day and they are still sharp and working fine."

Jack Warner



KNIVES & BLADES

Specialist cutting tools and spares tough enough to tackle all kinds of glazing jobs



32MM CHISEL KNIFE / BEAD KNIFE

- 32mm wide
- Strong and rigid corrosion-resistant polished chrome blade
- Ideal for removing window beads
- Cushioned, non-slip handle for improved grip and comfort

KNF10001



10 IN 1 MULTI-PURPOSE KNIFE

- 75mm stiff polished chrome blade
- Cushioned, non-slip handle for improved grip and comfort
- Steel end cap
- 10 uses; Pointed scraper, spreader, flat surface scraper, paint can opener, concave scraper, roller cleaner, nail/tack remover, convex scraper, bottle opener, and a hammer!

KNF10002



HEAVY DUTY UTILITY KNIFE

- Zinc alloy case with TPR slip-resistance handle
- Quick-change blades
- Built-in storage for spare blades
- Retractable blade with 3-position blade locking

KNF10000



UTILITY KNIFE BLADES

- Heavy duty hardened steel blades
- 0.6mm thickness
- Plastic safety dispenser
- Cut cleanly and effortlessly
- Designed to work with all standard retractable and fixed blade utility knives
- Available in packs of 10 and 100

10 pack - **BLDCT09**

100 pack - **BLDCT10**



SPARE BASE PLATE FOR MITRE SHEARS

- Extend the life of your mitre shears with these mitre shear spares.
- Marks at 45, 60, 75, 90, 105 and 120 degrees
- Replacement base plate for GKT03104 Xpert solid blade mitre/gasket/trim shears and GKT03804 Xpert universal mitre/gasket/trim shears

GKT03106



REPLACEMENT SK5 BLADE

- Extend the life of your mitre shears with these mitre shear spares.
- Replacement blade for GKT03104 Xpert solid blade mitre/gasket/trim shears
- Solid high-grade steel blade
- Cuts through plastic, rubber and wood up to 15mm thick

GKT03105

KNIVES & BLADES

Specialist cutting tools and spares tough enough to tackle all kinds of glazing jobs



Xpert Chisel Knife

"...this was by far the best tool for the job. It's also very sturdy and I'm sure it will last a long time."

David Torbett

DISCOVER YOUR XPERT STOCKIST

There are **OVER 400**
listed locations

Use our stockist finder
to pinpoint your local
Xpert Stockist:



Need Advice?

Call us: 01234 242 740



MOON / SPRUE KNIFE

- 75mm rigid, corrosion-resistant polished chrome blade
- Non-slip cushioned handle for comfort/safety
- Ideal for removing weld sprues on PVCu windows or as a general purpose knife
- Professional grade

DCK10000



SPRUE GUIDE

- 0.4mm metal sprue guide allows fast and accurate removal of the weld sprue on PVCu welded profiles when used with the industry-standard moon knife
- Achieve a professional finish every time
- Protects uPVC profiles

SPRUEGUIDE

GLASS SUCTION LIFTERS

Must-have tools and accessories to make glass fitting and installation quicker, easier and safer.



WATCH ME
IN ACTION



NEW



100kg
MAX
HORIZONTAL

100kg
MAX
VERTICAL

POWERLIFT BATTERY VACUUM GLASS LIFTER

- Max lifting weights; 100kg horizontal, 100kg vertical
- Battery: 3.7V Lithium rechargeable
- Charging: Type-C USB charging port
- Auto air replenishment
- 8" (200mm) Double layer rubber lips
- Accessories included: USB-C Cable, Suction Cup Cover, Air Filter, Carry Box.

XSC10000



100kg
MAX
HORIZONTAL

100kg
MAX
VERTICAL

8" VACUUM GLASS LIFTER

- Max lifting weights; 100kg horizontal, 100kg vertical
- One-hand pump action
- In-built safe vacuum indicator
- Complete with hard, moulded protective carry case
- Suction cup must be kept clean and unmarked to avoid malfunction

SUC20000



3 CUP ALUMINIUM BODY SUCTION LIFTERS

- Combined carrying power of three heavy-duty 115mm suction pads
- * Max lifting weights; 155kg horizontal, 140kg vertical
- Strong, durable aluminium body
- Suction cups must be kept clean and unmarked to avoid malfunction

155kg
MAX
HORIZONTAL

140kg
MAX
VERTICAL

SUC10003



2 CUP ALUMINIUM BODY SUCTION LIFTERS

- Combined carrying power of two heavy-duty 115mm suction pads
- * Max lifting weights; 100kg horizontal, 85kg vertical
- Strong, durable aluminium body
- Suction cups must be kept clean and unmarked to avoid malfunction

100kg
MAX
HORIZONTAL

85kg
MAX
VERTICAL

SUC10002



1 CUP ALUMINIUM BODY SUCTION LIFTERS

- Heavy duty 115mm suction pad
- * Max lifting weights; 50kg horizontal, 35kg vertical
- Strong, durable aluminium body
- Suction cup must be kept clean and unmarked to avoid malfunction

50kg
MAX
HORIZONTAL

35kg
MAX
VERTICAL

SUC10000

GLAZING TOOLS

Must-have tools and accessories to make glass fitting and installation quicker, easier and safer

NEW



32MM NYLON GLAZING HAMMER

- Chrome-plated zinc head with plastic handle
- Includes two screw-in faces: white non-marking plastic & blue soft
- Faces are replaceable by hand
- Extended soft rubber grip that reaches further up the handle for enhanced control
- Multi-purpose tool for glazing, engineering, furniture, shopfitting & partitioning

XNH100000

NEW



REPLACEMENT FACES FOR THE XPERT 32MM NYLON GLAZING HAMMER

- Genuine replacement faces for the Xpert 32mm glazing hammer
- Choice of materials and hardness to suit a range of striking applications
- One-piece moulded design with no metal pegs or components to damage the work surface when worn
- Faces are designed to wear and be replaced



Available in:

Hard - **XNH10011**

Soft - **XNH10012**



16OZ RUBBER MALLET

- Weight: 16oz
- High quality
- 57mm Ø face
- Strong fibreglass handle
- Solid white rubber head
- Won't mark or transfer colour on to hammered surface
- Cushioned non-slip handle for extra comfort and safety

HAM10001

NEW



CARPENTERS PENCIL

- Supplied and priced in a blister pack of 3 pencils
- Pencil length: 180mm
- Medium Hardness Lead: Delivers clear, consistent lines on a wide range of surfaces.
- Traditional flat profile prevents rolling and offers a comfortable, ergonomic grip.

XCP10003



GLAZING SHOVEL

- Shovel blade width: 68mm
- Manufactured from strong ABS plastics
- Ideal for toe and healing when glazing windows

Available in:



White - **GLS83000A**

Yellow - **GLS830001**

Red - **GLS830002**

SAWS

High-quality blades for quick, clean cuts through PVCu and wood.



TOOLBOX SAW

- Hard-point, stay-sharp teeth
- Blade length: 360mm / 14"
- Blade thickness: 0.9mm
- 16 ppi fine tooth blade
- For cutting PVCu, wood or plastic pipe
- Handy ruler printed on top saw edge
- In-built set squares (45° & 90°)

SAW90004



PVCU SAW

- Hard-point, stay-sharp teeth
- Blade length: 508mm / 20"
- 14 ppi fine tooth blade
- For cutting PVCu, fascia, soffits & trims
- Handy ruler printed on top saw edge
- In-built set squares (45° & 90°)

SAW40001



BUILDERS SAW

- Hard-point, stay-sharp teeth
- Blade length: 560mm / 22"
- 8 ppi
- Push/pull dual action
- For cutting wood, chipboard, tongue & groove
- Handy ruler printed on top saw edge
- In-built set squares (45° & 90°)

SAW40002

APPLICATORS

Ensures effortless, economic and precise application of sealants and adhesives.

NEW



DUAL PRO SKELETON GUN

- Dual Power Ratios: 10:1 for standard sealants. 20:1 for high-viscosity polymers & adhesives.
- On/Off dripless mode for custom flow control.
- In-built nozzle cutter and nozzle cleaner.
- Revolving, easy-load barrel for fast cartridge swaps.
- Ergonomic, heavy-duty design for maximum durability.

SIL99991

NEW



SKELETON GUN

- Pressure release trigger helps manage run-on and minimise waste
- Integrated nozzle cleaner for clearing dried material and blockages instantly
- Accommodates cartridges up to 218mm (310ml)
- Ergonomic, lightweight grip for comfortable use

SIL99997



PROFESSIONAL PU APPLICATOR GUN

- Rust-resistant, durable stainless steel nozzle
- Full Teflon-coated basket and internal parts
- Clean the nozzle and valve with an appropriate PU gun cleaner after use to avoid blockages
- Length: 200mm

GUN10000

Measuring

Long-lasting quality measurement tools for a faultless finish.



Xpert Glass Gauge

"Great item, simple but effective. Saves taking the glass out of the frame to measure."

Mr. W Gee



GLASS GAUGE

- Used to measure the thickness of sealed glass units without removing them from the window
- Robust steel frame
- Jaws open to 104mm for measuring round the widest frames
- Ruler on both sides for easy measuring
- Complete with hard, moulded protective carry case

GTG20000



DIGITAL ANGLE FINDER

- Aluminium construction for strength and durability
- Length: 320mm
- Measuring range: 0-225°
- Accurate within 0.05°
- Digital display with hold facility
- High quality spirit level
- Lock the blade at any angle
- 3v Lithium battery included

DAF10000



TAPE MEASURES

- Matt-look, nylon-coated blade for rust-resistant, anti-glare finish
- Ergonomic rubberised housing for added grip and comfort
- EC Class 2 accurate tapes
- Dual blade break
- Belt clip for ease of storage
- Double-sided rule and hook

5m/16ft **MTP50005**

8m/26ft **MTP50008**

117 LMN SILICONE

Perimeter sealing of windows & door frames.

With its excellent adhesion to virtually all construction materials, easy application and permanent elasticity with movement amplitude of up to 20%, Xpert 117 LMN silicone is ideally suited to sealing all kinds of building joints and edges inside and out, especially around door and window frames.

- ✓ **NEUTRAL CURE SILICONE SEALANT** - High adhesion to most surfaces with permanent elasticity.
- ✓ **LONG-LASTING FORMULA** - High resistance to weathering, aging and UV
- ✓ **AVAILABLE IN A CHOICE OF 5 COLOURS** - Including white, brown, clear, black and anthracite grey.

- 1-component neutral silicone sealant
- Very easy to apply with the Xpert Dual Pro Skeleton Gun
- Excellent adhesion to almost all building materials (see technical data sheet online)
- For outdoor and indoor applications
- High resistance to ageing, weathering and UV
- Temperature resistance: -50°C - +150°C
- Skin formation time: 15 mins at 23°C and 50% relative humidity
- Curing rate: 2.5 – 3mm after 24h at 23°C and 50% relative humidity
- Available in Snow White, Brown RAL 8017, Black RAL 9005, Clear and Anthracite Grey RAL 7016
- MEKO-free - contains no Methyl Ethyl Ketoxime (MEKO) which is considered hazardous.



**PERFECT FOR USE WITH
DUAL PRO SKELETON
GUN**

SIL99991
(see page 09)

WATCH ME IN ACTION
A must-have for every installer!



Colour	RAL	Size	Part Code	Box Qty.
Snow White	-	280ml	SIL20000	12
Clear	-	280ml	SIL20006	12
Brown	RAL8017	280ml	SIL20002	12
Black	RAL9005	280ml	SIL20005	12
Anthracite Grey	RAL7016	280ml	SIL20007	12

SCAN ME
for our technical
data sheet



CONSUMABLES

Takes care of all those essential clean up jobs, quick fixes and final flourishes.



SUPER GLUE

- Achieves fast bonding of most non-porous surfaces
- Fast adhesion with high bond strength
- Available in low, medium or high viscosity

	20gm	50gm
LV	GLU20202B	
MV	GLU20201B	GLU20501B
HV	GLU20203	



SUPER GLUE ACTIVATOR

- Solvent-based super glue activator
- Works with Xpert super glue to accelerate adhesion
- Reduces bloom and odour
- Non-yellowing formulation
- 200ml aerosol spray can

GLU72204



PVCU CREAM CLEANER

- Heavy duty cleaner for PVCu materials: window/door frames, cladding and trims
- Suitable for domestic and industrial use
- Solvent-free
- Mildly abrasive properties - Non-scratch
- Non hazardous

Apply with a cloth or sisal mop
(see page 17)

PUC10100



PVCU SOLVENT CLEANER

- Powerful solvent-based cleaner removes even ingrained dirt
- Suitable for use on all PVCu-based plastics
- Non-smear
- Fast acting
- 1 litre bottle

SOL10100



GLASS CLEANER

- Easy-to-use window cleaner
- Fast-acting, non-smear
- Available in 1L spray or 5L and 25L refills
- For application on windows, mirrors and glass

1 litre spray **PGC10100**

5 litre refill **PGC10500**

25 litre refill **PGC12500**

MACHINERY CONSUMABLES

Machine handles and drill bits in a range of sizes



KIP LOCKS

- Made from tough ABS plastic
- Male or female thread

Size	Part Code
M5 x 50mm	KLH100550
M6 x 25mm	KLH100625
M6 x 63mm	KLH100663
M8 x 25mm	KLH100825
M8 x 63mm	KLH100863
M10 x 63mm	KLH101063
M12 x 63mm	KLH101263
M6 Female	KLH1006F
M8 Female	KLH1008F
M10 Female	KLH10010F
M12 Female	KLH1012F



SDS DRILL BITS

- Tungsten carbide tip
- Double flute
- For concrete, masonry, light blocks and stone

Size (mm)	Part Code
6.0 x 210	SDX60210
6.0 x 260	SDX60260
6.5 x 210	SDX65210
6.5 x 260	SDX65260



PILOT TRIPLE DRILL

- Size: 10mm Pilot
- HSS drill bits
- M10 male thread
- Used on copy router for handle holes
- Lengths cut: 50mm
- Overall: 87mm

Left Hand **TDS10007**

Right Hand **TDS10006**



DENTIST DRILL COLLETS

- Replacement collet to suit our Xpert dentist drill / micro grinder kit.
- Collet size: 3mm or 6mm
- Inlet: 1/4" BSP

3mm collet **COL10003**

6mm collet **COL10006**

HSS DRILL BITS - STANDARD & LONG LENGTH

Quickly and cleanly cut through non-ferrous metals, plastic, wood and more

- Drill tip: 135°
- High quality, Fully ground Titanium Nitride (TiN) coating standard
- For drilling into; steel, iron, copper, nickel, zinc, sheet metal, aluminium & PVCu

Drill Ø (mm)	Hole Size	Cut Length (mm)	Overall Length (mm)	Part Code
Standard Length HSS Drill Bits - DIN338 fully ground				
2.0	M2.5	24	49	XDB2020049
2.5	M3	30	57	XDB2025057
3.0	M3.5	33	61	XDB2030061
3.5	M4	39	70	XDB2035070
4.0	M5	43	75	XDB2040075
4.5	M5	47	80	XDB2045080
5.0	M6	42	86	XDB2050086
6.0	M7	57	93	XDB2060093
7.0	M8	69	109	XDB2070109
8.0	M9	75	117	XDB2080117
10.0	M11	87	133	XDB2100133
Long Length HSS Drill Bits - DIN340 fully ground				
3.0	M3.5	66	100	XDB1030100
3.2	M4	69	106	XDB1032106
3.5	M4	73	112	XDB1035112
4.0	M5	78	119	XDB1040119
4.5	M5	82	126	XDB1045126
5.0	M6	87	132	XDB1050132
5.5	M6	91	139	XDB1055139
6.0	M7	91	139	XDB1060139
6.5	M7	97	148	XDB1065148
7.0	M8	102	156	XDB1070156
8.0	M9	109	165	XDB1080165
10.0	M11	121	184	XDB1100184



≤ø2.0mm 3980
ø2.1-4mm 1990
ø4.1-6mm 1330
ø6.1-8mm 1000
ø8.1-10mm 900
ø10.1-12mm 660
ø12.1-13mm 570



3980
1990
1330
1000
900
660
570



4780
2390
1590
1190
960
900
680



7170
3590
2390
1790
1430
1190
1020



3980
1990
1330
1000
900
660
570



12740
6370
4250
3190
2650
2120
1820



3990
1990
1330
1000
900
660
570

THERMOCOUPLES

Heating sensors for PVCu window and door welding machines



PROBE THERMOCOUPLE WITH SPRING CAP

This J-type probe thermocouple is compatible with the URBAN and Kombimatec uPVC welders, to ensure safe and optimum operating temperatures.

- Wire length 1500mm
- Spring-loaded male bayonet fitting
- Suits URBAN & Kombimatec

THC10000



RING TYPE THERMOCOUPLE

This J-type ring thermocouple is compatible with the Someco, Wegoma and STB uPVC welders.

- Suits Someco, Wegoma and STB

1000mm wire length **THC21000**

2000mm wire length **THC22000**



SHORT PROBE THERMOCOUPLE

This short probe sensor is compatible with the Elumatec and Sturtz uPVC welders to ensure safe and optimum operating temperatures.

- Wire length 1500mm
- Suits Elumatec and Sturtz

THC30000

PTFE FIBREGLASS CLOTH

Prevents plastic sticking to weld heads during PVCu window and door fabrication

PTFE FIBREGLASS CLOTH

This PTFE coated fibreglass cloth offers superior release properties and heat resistance to protect uPVC profiles during welding and ensure they won't stick to welding heads. Please note, Teflon™ and PTFE are effectively the same product and do the same job. PTFE is the shortened name for polytetrafluoroethylene and Teflon™ is just the widely known trademarked name for the same polymer, which is owned by The Chemours Company.

- Self-adhesive
- Non-stick and easy clean
- Highly resistant to chemicals except molten alkali metals & Fluorine under high temperatures & pressure
- Resistant to temperatures up to 260°C
- Standard width: 1m
- Can be ordered in multiples of 1m or 5m lengths
- Special rates available for a 30m roll




PHYSICAL PROPERTIES*

(*Please note, these properties are typical values and should not be used for writing specifications.)

Adhesion	45oz/in. width
Break strength	120 lbs/in. width
Elongation	<5 %
Backing thickness	0.152mm
Adhesive thickness	0.05mm
Temperature range	-75 to +260°C
Insulation class	180°C

Finish	Size	Part Code	Box Qty.
Green	1m ²	TEF10001	30
Silver	1m ²	TEF10002	30
Red	1m ²	TEF10003	30
Brown	1m ²	TEF20000	30
Brown - Premium	1m ²	TEF10000	30
Brown	1m x 5m	TEF10005	4



PTFE SHEET FOLDED & STITCHED

- For Urban AKS 1400 and 1410 welder
- Folded and stitched
- Silver version coated
- Red version laminated (3 x life of the silver version)

Finish	1m ²	Box Qty.
Silver	TEF30002	50
Red	TEF30003	100



PTFE CLOTH/TEFLON - NON ADHESIVE, SLEEVE


The non adhesive Teflon is ideal for use on heater plates to prevent plastic from sticking during window and door fabrication.

- Available as a ROTOX sleeve in brown
- Size 225 x 430mm
- Box Qty. 4

TEF50000

CARBIDE BURRS

Used with air tools, drills and grinders to cut, shape, grind, file and deburr to perfection.



A BALL NOSE CYLINDER
BUR10000



B STRAIGHT END
BUR10003



C STRAIGHT WITH END CUT
BUR10004




- Various end types
- Lengths: 28 or 38
- Works with micro grinders/pencil or dentist drills
- Med-high quality

	Quality	Type	Cut Ø (mm)	Cut Length (mm)	Overall Length (mm)	Shank Ø (mm)	Part Code
A	Medium-High	Ball Nose Cylinder	3	14	38	3	BUR10000
B	Medium-High	Straight End	3	14	28	3	BUR10003
C	Medium-High	Straight with End Cut	3	14	38	3	BUR10004

CUTTERS & ROUTER BITS

Quality HSS steel parts for precision cutting.




ROUTER BITS

- HSS steel
- Professionally machined
- Used in copy routers for lock holes
- Twin flute straights available



ROUT814NR



DRAIN ROUTER BITS

- HSS drain router bits (high-speed steel)
- Professionally machined
- Suitable for use with copy routers
- Ideal for drilling drainage slots in glazed units

ROUT514/4512D

Type	Cut Ø (mm)	Cut Length (mm)	Relief (mm)	Overall Length (mm)	Shank Ø (mm)	Part Code
Router Bit	5	12	-	60	8	ROUT51260/80R
Router Bit	5	35	-	80	8	ROUT535NR
Router Bit	5	40	-	100	8	ROUT540100
Router Bit	6	40	-	100	8	ROUT640NR
Router Bit	8	14	-	80	8	ROUT814NR
Router Bit	8	14	-	120	8	ROUT814120NR
Router Bit	8	30	-	100	8	ROUT830NR
Router Bit (Twin Flute)	8	30	-	100	8	ROUT830100TWI
Router Bit (Twin Flute)	8	30	-	120	8	ROUT8301208T
Router Bit	8	40	-	120	8	ROUT840120NR
Router Bit	10	14	-	120	10	ROUT101412010
Router Bit	12	14	-	80	8	ROUT1214NR
Drain Router Bit	4	16	45	90	8	ROUT416D
Drain Router Bit	5	18	35	80	8	ROUT518D
Drain Router Bit	5	16	45	90	8	ROUT516D
Drain Router Bit	6	45	45	90	8	ROUT616D
Drain Router Bit	8	14	68	100	8	ROUT814/68D
Drain Router Bit	5	14	45	120	8	ROUT514/4512D

AIR POWER TOOLS

Featuring key air tools in the fabricator's armoury including drills, screwdrivers, sanders and grinders.



3/8" REVERSIBLE KEYLESS CHUCK DRILL

- Speed: 2,000rpm
- Average air flow rate: 4 CFM
- Inlet size: 1/4" BSP
- Chuck size: 10mm
- Sound pressure ISO 15744: 89 dB(A)
- Sound power: 100 dB(A)
- Vibration level ISO 28927: A: 3.9 m/s², K: 1.5 m/s²

KAD10000



3/8" REVERSIBLE DRILL

- Speed: 2,000rpm
- Average air flow rate: 4 CFM
- Inlet size: 1/4" BSP
- Chuck size: 10mm
- Sound pressure ISO 15744: 89 dB(A)
- Sound power: 100 dB(A)
- Vibration level ISO 28927: A: 3.9 m/s², K: 1.5 m/s²
- Low-noise air drill

KAD10001A



1/4" REVERSIBLE SCREW-DRIVER MEDIUM TORQUE

- Speed: 2,000rpm
- Average air flow rate: 4 CFM
- Inlet size: 1/4" BSP
- Chuck size: 10mm
- Sound pressure ISO 15744: 92 dB(A)
- Sound power: 103 dB(A)
- Vibration level ISO 28927: A: 0.4 m/s², K: 1.5 m/s²
- Pressure-sensitive trigger switch

ARD10000



DENTIST DRILL

- Speed: 22,000rpm
- Average air flow rate: 4 CFM
- Inlet size: 1/4" BSP
- Collet size: 3mm or 6mm
- Sound pressure ISO 15744: 86 dB(A)
- Sound power: 97 dB(A)
- Vibration level ISO 28927: A: 1.13 m/s², K: 0.65 m/s²

3mm collet **ADD10000**

6mm collet **ADD10006**



3/8" STRAIGHT DRILL

- Speed: 3,500rpm
- Average air flow rate: 4 CFM
- Inlet size: 1/4" BSP
- Chuck size: 10mm
- Sound pressure ISO 15744: 92 dB(A)
- Sound power: 103 dB(A)
- Vibration level ISO 28927: A: 1.13 m/s², K: 1.5 m/s²

KAD10003



PROFESSIONAL ORBITAL PALM SANDER

- Speed: 11,000rpm
- Average air flow rate: 4 CFM
- Inlet size: 1/4" BSP
- Pad diameter: 150mm
- Non vacuum
- Sound pressure ISO 15744: 82 dB(A)
- Sound power: 86 dB(A)
- Vibration level ISO 28927: A: 0.1 m/s², K: 1.8 m/s²

ASP10000

AIR POWER TOOLS

Featuring key air tools in the fabricator's armoury including drills, screwdrivers, sanders and grinders.



MICRO DIE GRINDER/PENCIL DRILL

- Speed: 56,000rpm
- Average air flow rate: 7 CFM
- Inlet size: 1/4" BSP
- Collet size: 3mm
- Sound pressure ISO 15744: 74 dB(A)
- Sound power: 85 dB(A)
- Vibration level ISO 28927: A: 0.6 m/s², K: 0.57 m/s²

MGR10000



Contents:

- Air micro pencil drill / grinder
- 10 different grinding heads
- Air tool oil
- In-line oiler
- Quick connector
- Chuck spanners
- 6-month product guarantee

POLISHING

Ideal for polishing and finishing PVCu applications.



AIR SISAL MACHINE

- Speed: 22,000rpm
- Average air flow rate: 4 CFM
- Inlet size: 1/4" BSP
- Sound pressure ISO15744: 86 dB(A)
- Sound power: 97dB(A)
- Vibration level ISO28927:
A: 1.13 m/s², K: 0.65 m/s²
- Complete with sisal mop head
- Used to polish plastic

For best results, use with a cream cleaner
(see part: PUC10100 on page 12)

ASM10000



SISAL ADAPTOR

- Converts a male mop to female M10 thread
- Inlet size: 1/4" BSP

ASM20003



FEMALE SISAL MOP

- Used to polish plastic
- Use with sisal machine
- This female sisal mop delivers efficient polishing performance to quickly smooth and buff out plastic surfaces.

It is recommended to use with a cream cleaner (see part: PUC10100 on page 12)

ASM20000



MALE SISAL MOP

- Thread: M8 male
- Used to polish plastic
- Connected directly to a professional sisal machine by means of a sisal adaptor.
- This male sisal mop delivers efficient polishing performance to quickly smooth and buff out plastic surfaces.

It is recommended to use with a cream cleaner (see part: PUC10100 on page 12)

ASM20001

AIR ACCESSORIES

Everything fabricators need to kit out and maintain their air power tools.



APT10001A



APT10000C



APT10000F

AIR FITTINGS

- A range of air tool adaptors
- 1/4" thread
- Male and female adaptor options

Description	Part Code	
3/8 Tail Adaptor	APT10000A	
3/8 Tail To Adaptor	APC10001A	
1/4 to 1/4 Female Union	APT10000U	
	Male	Female
Adaptor	APT10001C	APT10000C
Coupling	APT10000F	APT10000E



Y PIECE COMPLETE

- Plastic push-in fittings comprise a durable PBT resin body
- Taper threaded fittings are pre-coated with Teflon sealant so no additional sealing is required
- Temperature range: 0°C to +60°C
- Working pressure: 10 bar (150 psi)

YPA10001



RECOIL AIR HOSE

- Stretch and spring-back air hose for use with professional air power tools.
- Inlet: 1/4" BSP
- Length: 7.6m/25ft
15.0m/50ft

7.6m/25ft **AHC10025**

15m/50ft **AHC10050**



Y PIECE CONNECTOR

- Use this Y piece fitting to plug two air tools into the same air line.
- Inlets: 1/4" BSP

YPA10000

WHAT OUR CUSTOMERS SAY

Don't just take our word for it. Read Xpert reviews from experienced installers, fabricators, and other customers below.



It's Our Go-To Sealant!

We use tonnes of white and clear Xpert 117 LMN silicone - it's our go-to sealant!

Gary Richards
CRK Windows Ltd



Still Going Strong

Those gasket shears have been used everywhere – on the windows, in some of the bathrooms – and they're still going strong.

Ross Brock
Knightstone Property



Workbench Essentials

The Xpert tools we use the most would have to be the glazing shovels and chisel knives. They're pretty-much workbench essentials for us and they've always given us solid, problem-free service.

Daniel Attwell
Windows Plus UK Ltd



Top Sellers All Year Round

Our top sellers all year round include the Xpert Chisel Knife, the versatile 10-in-1 Knife, and the Replaceable Blade Gasket Shears.

Mark Flitcroft
Eurocell, Coventry Branch



Speed Of Delivery

In my opinion, their speed of delivery and customer service is better than anything you'll find with a different supplier.

Daniel Attwell
Windows Plus UK Ltd



Great Prices, High-Quality

Our trade customers love these hand tools not only for the great prices, high quality & solid construction, but also the fact they're purpose-built for the glazing tasks they handle every day.


Alan Davey
Eurocell, Newton Abbott Branch

PROVEN TOOLS FOR THE INDUSTRY

Our products help fabricators and fitters achieve the best results in less time because they've been designed with inside, hands-on knowledge of how they are really used in the workplace – that includes the bad habits! The result is practical, proven kit preferred by trade professionals because it eliminates many of the irritations associated with employing general-purpose tools and consistently delivers the desired results.

XPERT TOOLS ON TAP

Visit xperttools.co.uk to...



DISCOVER

- ✓ Our comprehensive product information
- ✓ The warranties offered on all Xpert tools
- ✓ Your nearest Xpert tools stockist
- ✓ How to become a stockist

STAY INFORMED BY

- ✓ Reading the latest news, top tips & announcements
- ✓ Downloading the latest Xpert tools literature
- ✓ Subscribing to our mailing list



LET'S GET SOCIAL



INDEX

0-9

10 in 1 Multi-Purpose Knife	04
117 LMN Silicone	11
1/4" Reversible Screwdriver Medium Torque	19
16OZ Rubber Mallet	07
1 Cup Aluminium Body Suction lifter	06
2 Cup Aluminium Body Suction Lifter	06
3 Cup Aluminium Body Suction Lifter	06
32mm Chisel Knife/ Bead Knife	04
32mm Nylon Glazing Hammer	07
3/8" Reversible Drill	19
3/8" Reversible Keyless Chuck Drill	19
3/8" Straight Drill	19
8" Vacuum Glass Lifter	06

A

Air Hose - Recoil	22
Air Fittings	22
Air Sisal Machine	21
Angle Finder	10
Applicator Gun	09

B

Base Plate for Mitre Shears	04
Bead Knife	04
Builders Saw	08
Burrs	17

C

Carbide Burrs	17
Carpenters Pencil	07
Chisel Knife	04
Collets - Dentist Drill	13
Consumables	12
Cream Cleaner	12

D

Dentist Drill	19
Dentist Drill Collets	13
Drain Router Bits	18
Drills	19
Drill Bits - HSS	14
Drill Bits - SDS	13
Dual Pro Skeleton Gun	09
Digital Angle Finder	10

F

Female Sisal Mop	21
Fibreglass cloth	16

G

Gasket Snips	03
Gasket Shears	03
Glass Cleaner	12
Glass Gauge	10
Glass Lifter	06
Glazing Hammer	07
Glazing Shovel	07

H

Heavy Duty Utility Knife	04
Hammer	07
HSS Drill Bits	14

K

Kip Locks	13
Knives	04

L

LMN Silicone	11
--------------	----

M

Male Sisal Mop	21
Mallet	07
Micro Die Grinder/ Pencil Drill	20
Mitre Cutters/ Shears	03
Moon/ Sprue Knife	05
Multi-Purpose Knife	04

N

Nylon Glazing Hammer	07
Nylon Glazing Hammer Replacement Heads	07

O

Orbital Palm Sander	19
---------------------	----

P

Pencils	07
Pencil Drill	20
Pilot Triple Drill	13
Powerlift Battery Vacuum Glass Lifter	06
Probe Thermocouple With Spring Cap	15
Professional Orbital Palm Sander	19
Professional PU Applicator Gun	09
PTFE Cloth/ Teflon - Non Adhesive Sleeve	16
PTFE Fibreglass Cloth	16
PTFE Sheet Folded and Stitched	16
PU Applicator Gun	09

PVCu Cream Cleaner	12	V	
PVCu Saw	08		
PVCu Solvent Cleaner	12	Vacuum Glass Lifter	06
R		Y	
Recoil Air Hose	22	Y Piece Complete	22
Replacement Faces For The Xpert 32mm Nylon Glazing Hammer	07	Y Piece Connector	22
Replacement SK5 Blade	04		
Reversible Drill 3/8"	19		
Reversible Keyless Chuck Drill 3/8"	19		
Reversible Screwdriver Medium Torque 1/4"	19		
Ring Type Thermocouple	15		
Router Bits	18		
Rubber Mallet	07		
S			
Saws	08		
SDS Drill Bits	13		
Short Probe Thermocouple	15		
Shovel	07		
Silicone	11		
Sisal Adaptor	21		
Sisal Machine	21		
Sisal Mop - Male	21		
Sisal Mop - Female	21		
Skeleton Gun	09		
Solid Blade Gasket/ Mitre Shear	03		
Solvent Cleaner	12		
Spare Base Plate For Mitre Shears	04		
Sprue Guide	05		
Sprue Knife	05		
Stanley Blade Gasket/ Mitre Cutters	03		
Straight Drill 3/8"	19		
Suction Lifters	06		
Super Glue	12		
Super Glue Activator	12		
T			
Tape Measures	10		
Teflon	16		
Thermocouples	15		
Toolbox Saw	08		
U			
Utility Knife	04		
Utility Knife Blades	04		



TOOLS & CONSUMABLES

V8

**YOUR NEAREST STOCKIST OF
XPRT PRODUCTS IS:**

Product specification is subject to change without notification. Please also note that colours shown are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced. This brochure was updated in July 2026.

T: 01234 242740 E: sales@xperttools.co.uk W: xperttools.co.uk